

















































Bilmärke/Bilmodell	OE art.no	Gänga	Längd /Tot	Kona	NV	Kvalitet /Material	Fälgtyp	Art.nr		Bild
OE BULT / MUTTER										
ALFA ROMEO										
147 (937); 156 (932); 166 (936); GT (937); Giulietta (940); Mito (955)	132 304 25	M12x1,25	22/48,5	60°	17	8.8 Deltaprotekt KL100	Stål & Alu	Z61212522DEL		
159 (939), Brera (939), Spider (939)	606 974 42 606 941 02	M14x1,5	25/49	60°	17	10.9 Deltaprotekt KL100	Stål & Alu	Z1614152556DEL		
AUDI										
Audi 80 (81); Audi Coupe (85) A2 (Endast 4/100)	3A0 601 139	M12x1,5	24,5/45,7	R13	17	10.9 White Zincplated	Stål & Alu	Z6121524WZ		
A1 (8X); A2 (8Z); (Endast 5/100) A3 (8L, 8P, 8V); A4 (B8, Q8, 8E, 8H, B5, 8K); A5 Sportback (B8); A6 (4B, 4F, 4G); A7 Sportback (4G4); A8 (D2, Q2, 4E, 4H); 80 (89, 89Q, B4); 100 (43, 44, C4); 200 (43, 44, C4); V8 (D11); Coupè (85, 8B); TT (8J, 8N), Q2 (G4)	WHT 002 437	M14x1,5	27/47,5	R13	17	10.9 White Zincplated	Stål & Alu	Z653245		
A4 Cabrio (8H); S4 (8E); A5 Cabrio (B8); S5; S5 Cabrio; RS5 (B8); A6 (4F); A6 Allroad (4B); A6 quattro (4F, 4G); A6 cabrio (4F2, 4F5); S6; RS6 (4B, 4F, 4G); A7 (4G4) A8 (4D fr.o.m '01); A8 Quattro (8D fr.o.m '01); S8; TT (8N)	4D0 601 139 A	M14x1,5	27/51 (2 delad)	R13	17	8.8 White Zincplated	Alu	Z6141527BZ		
A8 (endast bepansrade bilar); Q3 (8U); Q5 (8R); Q7 (4M);	8R0 601 295	M14x1,5	30/59,5 (2 delad)	R14	17	10.9 Deltaprotekt KL100	Stål & Alu	Z6141530DEL		
Q7 (4L)	7L0 601 139 A	M14x1,5	37/67 (2 delad)	R14	19	10.9 White Zincplated	Alu	Z6141537WZ		
BMW										
1 series (E81, E87, E88); 3 series (E21, E30, E36, E46, E90, E91, E92, E93); 5 series (E12, E28, E34, E39, E60, E61); 6 Series (E24); 7 series (E23-E32-E38); 8 series (E31); Z1 (E30); Z3 (E36); Z4 (E85, E86, E89); Z8 (E52)	36 13 1 126 191 36 13 6 781 150	M12x1,5	26/51	60°	17	8.8 Corrolube	Stål & Alu	Z6121526BZ		
1 serie (F20, F21); 2 serie (F22, F23, F45, F46) 3 serie (F30F, F31, F34, F35); 3GT (F34, F35); X3 serie (F25); 4 serie (F32, F33, F36); 5 series (F10, F11, F18, G5); X5 serie (E70); 6 serie (F06, F12, F13); X6 (E71, E72, F16); 5GT (F07); 7 Serie (F01, F02, F03, F04, G11, G12), i3 (i01)	36 13 6 781 151-03	M14x1,25	27/46,3	60°	17	8.8 Corrolube	Stål & Alu	Z61412527COR		
BMW 5 serie (E12)	36 13 1 113 132	M12x1,5		60°	19	8 White Zincplated	Stål & Alu	Z61215198WZ		
BMW X5 serie (E53)	36 13 6 756 298	M14x1,5	32/44/58 (2 delad)	60°	17	10.9 Black Zincplated	Alu	Z6141532BZ		
X5 (G05); X6 (MY 2019); X7 (MY 2019); 7 serie (F03)	36 13 6 795 153	M14x1,25	28/54	60°	17	U.S.	Stål & Alu	Z61412528		
CITROËN										
Berlingo 2 e 3; C2 (J); C3 (F,H,S); C4 (L); C4 Cactus (O) C5 (D, R9); C6 (T); DS3 (S) Jumpy (270); Saxo (fr.o.m '03); DS4 (N) DS5 (K)	5405.67	M12x1,25	17/57 (2delad)	Flat	17	10.9 / Deltaprotekt KL100	Alu	Z61212517		
AX (ZA); Saxo (S0, S1); Xantia (X1, X2); Xsara (NX) Xsara Picasso (C)	5405.35	M12x1,25	17/63 (2 delad)	Flat	19	10.9 White Zincplated	Alu	Z61212517CP		

Bilmärke/Bilmodell	OE art.no	Gänga	Längd /Tot	Kona	NV	Kvalitet /Material	Fälgtyp	Art.nr	Bild
OE BULT / MUTTER									
CITROËN forts...									
Berlingo (7, TU); Berlingo 3 Tepee (TU); C4 Cactus (O) C4 (L, N); C4 coupé (L); C4 Picasso (U); C4 Grand Picasso (U); DS4 (N); C5 (6FZ, R); Jumpy 3 (270)	1608734480 5405.72	M12x1,25	26/49 (2 delad)	60°	17	10,9 Deltaprotekt KL100	Stål	Z6121252649DEL	
AX (ZA); Berlingo (NFU); Saxo (S0, S1); Xsara (N6); Xsara Picasso (C); Xantia (X1, X2)	5405.55	M12x1,25	26/52	60°	19	10,9 White Zincplated	Stål	Z609230	
Berlingo (7, MF); Berlingo 3 Tepee; (TU) C2 (JM); C3 (FC, S, HB); C3 Picasso (SH); DS3 (S); DS4 (N); C4 (B7, LA, LC); C6 (TD); Nemo (A); Jumpy 3	5405.66	M12x1,25	26/47	60°	17	10,9 Deltaprotekt KL100	Stål	Z6121252647DEL	
C1 (PM, PN)	5405.77	M12x1,5	21/42	60°	17	10,9 White Zincplated	Stål	Z6121521	
C1 (PM, PN)	5405.80	M12x1,5	35/59,5 (2 delad)	Flat	17	10,9 Deltaprotekt KL100	Alu	Z6121535DEL	
C1 (580W)	5405.85	M12x1,5	32,5/53,5 (2 delad)	Flat	17	"10,9 Deltaprotekt KL100"	Alu	Z61215325DEL	
Jumper (230 e 244). Axel belastning 1,1 - 1,4 Ton.	5405.75	M14x1,5	28,2/53	60°	24	10,9 Deltaprotekt KL100	Stål	Z6141528DEL	
Jumper (230 e 244). Axel belast. fr.o.m 1,8 Ton.	5405.76	M16x1,5	31/57	60°	24	10,9 Deltaprotekt KL100	Stål	Z6161531DEL	
C8 (E)	5405.69	M14x1,5	26/56,5 (2 delad)	60°	17	10,9 Deltaprotekt KL100	Alu	Z6141526DEL	
C8 (E); Jumpy (B t.om '06)	5405.68	M14x1,5	25/49	60°	17	10,9 Deltaprotekt KL100	Stål	Z614152556DEL	
Jumper (250). Tot.last vikt 1.1 - 1,7 Ton.	5405.78 5405.88	M14x1,5	27/62	60°	21	10,9 Deltaprotekt KL100	Stål/Alu endast 15"	Z6141527DEL	
Jumper (250). Tot.last vikt från 1,6 Ton.	5405.79	M16x1,5	29/64	60°	21	10,9 Deltaprotekt KL100	Stål/Alu endast 16"	Z6161529DEL	
C-Crosser (V); C Zero (1); C4 Aircross (B)	5405.81	M12x1,5		60°	21	8 Yellow Zincplated	Stål	Z609240	
C-Crosser (V); C4 Aircross (B)	5405.82	M12x1,5		Flat	21	8 Chrome- plated	Alu	Z663610	
DACIA									
Dokker (SD); Duster (SD); Logan (SD, SR); Sandero (SD, SR) Lodgy (SD)	82 00 473 353 82 00 610 460 40 22 22 121R	M12x1,5	26/51	60°	17	10,9 White Zincplated	Stål	Z653200	
DAIHATSU									
Charade (XP9F); Cuore (L2, L27); Materia (M4); Sirion (M3); Terios (J2); Trevis (L65)	90942-01007	M12x1,5		60°	21	8 White Zincplated	Stål	Z609240	
FIAT									
500 (312); 500C (312); 500L (199); 500X (339); Bravo 2 (198); Doblò (119, 152); Doblò Cargo (223, 263); Idea (135, 350); Linea (323); Multipla (186); Panda 2 (169); Panda 3 (312); Punto 1 (176); Punto 2 (188); Stilo (192); Qubo (225), Tipo (356)	13230425	M12x1,25	22/48,5	60°	17	8,8 Deltaprotekt KL100	Stål & Alu	Z61212522DEL	
Barchetta (183); Punto 1 (176); Punto2 (188); Cinquecento (170); Panda 1 (141); Seicento (187); Uno (146)	13 228 924	M12x1,25	27/42	60°	19	8,8 Deltaprotekt KL100	Stål	Z61212527DEL	









Bilmärke/Bilmodell	OE art.no	Gänga	Längd /Tot	Kona	NV	Kvalitet /Material	Fälgtyp	Art.nr		Bild
OE BULT / MUTTER										
FIAT forts...										
Croma (194); Grande Punto (199); Punto Evo (199); Punto 2013 (199); Sedici (FY)	51 732 885	M12x1,5	22/47,5	60°	17	10,9 White Zincplated	Stål & Alu	Z653550		
Scudo (220); Ulysse (179)	1 493 974 080	M14x1,5	25/49	60°	17	10,9 Deltaprotekt KL100	Stål	Z614152556DEL		
Scudo (270 fr.o.m 11/2007)	9 634 648 980	M12x1,25	26/49 (2 delad)	60°	17	10,9 Deltaprotekt KL100	Stål	Z6121252649DEL		
Scudo (270 fr.o.m 11/2007)	9 644 576 680	M12x1,25	17/57 (2 delad)	Flat	17	10,9 Deltaprotekt KL100	Alu	Z61212517		
Ducato(230, 244). Axel belastning 1,1 - 1,4 Ton.	1 345 713 080	M14x1,5	28,2/53	60°	24	10,9 Deltaprotekt KL100	Stål	Z6141528DEL		
Ducato (230, 244). Axel belastning fr.o.m 1,8 Ton.	1 345 714 080	M16x1,5	31,6/57	60°	24	10,9 Deltaprotekt KL100	Stål	Z6161531DEL		
Ducato (250). Tot.last vikt 1.1 - 1,7 Ton.	1363349080 1351202080	M14x1,5	27/62	60°	21	10,9 Deltaprotekt KL100	Stål/Alu endast 15"	Z6141527DEL		
Ducato (250). Tot.last vikt fr.o.m 1,6 Ton.	1351203080	M16x1,5	29/64	60°	21	10,9 Deltaprotekt KL100	Stål/Alu endast 16"	Z6161529DEL		
FORD										
KA 2 (RU8)	1 559 373	M12x1,5	22/48,5	60°	17	8,8 Deltaprotekt KL100	Stål & Alu	Z61212522DEL		
B-Max (JK8); Ka (RBT); KA+ (16) Escort (ATO); (GTO) Fiesta (GFJ, JAS, JH1, JA8); Focus (DAW, DA3, DYB); Fusion (JU2); Grand C-Max (DM2, DXA); Kuga (DM2); Mondeo (GBP, B4Y, BA7); Puma (ECT); Scorpio (GFR, GGR)	6040307 1007487 5114405	M12x1,5		60°	19	10 Deltaprotekt KL100	Stål	Z61215DEL		
B-Max (fr.o.m 01/2012); Fiesta (fr.o.m 05/2012); C-Max (fr.o.m 01/2012); Focus (fr.o.m 11/2012); Kuga (fr.o.m 10/2012) Grand C-Max (fr.o.m 01/2012); Ecosport (JK8); Mondeo (fr.o.m 02/2015); Toureno Courier (fr.o.m 02/2015); Toureno Connect (fr.o.m 11/2013); Transit Courier (fr.o.m 09/2013); Transit Connect (fr.o.m 02/2015);	5114407	M12x1,5		60°	19	10 Zinc Nickel	Alu	Z61215ZN		
B-Max (JK8); C-Max (DM2, DXA); Cougar (BCV); Fiesta (J5S, JVS, JD3, JH1, JC3JA8, JR8); Focus (DA3, DB3, DYB, DAW, DBW); KA (RBT); Kuga (DM2); Mondeo (BA7, B4Y, B5Y)	6111766 1454051	M12x1,5 stängd		60°	19	10 Zinc Nickel	Alu	Z61215ZP		
C-Max (DM2, DXA); B-Max (JK8); Cougar (BCV); Fiesta (J5S, JVS, JD3, JH1, JC3JA8, JR8); Focus (DA3, DB3, DYB, DAW, DBW); KA (RBT); Kuga (DM2); Mondeo (BA7, B4Y, B5Y) Fusion (JU2)	6652292 1 454 053	M12x1,5 öppen		60°	19	10 Zinc nickel	Alu	Z61215OZN		
Galaxy (WGR fr.o.m 1995 till 2000)	7201016	M14x1,5	34/66	R14	19	10,9 Phosphated	Stål & Alu	Z653260		
Galaxy (WGR fr.o.m 2000 till 2007)	1126877	M14x1,5	34/62 (2 delad)	R14	19	10,9 Deltaprotekt KL100	Stål & Alu	Z653280		
Galaxy (WA6 fr.o.m 2006 till 2011); S-Max (WA6 fr.o.m 2006 till 2011)	1 377 748 1889420	M14x1,5		60°	21	10 White Zincplated	Stål	Z614152110WZ		
Galaxy (WA6 fr.o.m 2006 till 2011); S-Max (WA6 fr.o.m 2006 till 2011)	1428137 1377747	M14x1,5		60°	21	10 White Zincplated	Alu	Z61415ZP		
Transit 2000-2006 (FBEY/DEY/DFY/DGY/MEY/MFY/NFY/SEY/SFY/SGY/ZEY/AEY/AFY/AGY), Transit 2006-2011 (FAEY/FAF6/FAG6/FNF6/FMF6/FME6)	1576434	M14x2	(2 delad)	Flat	21	10 Cromax + Magni	Stål	Z614221CRO		

Bilmärke/Bilmodell	OE art.no	Gänga	Längd /Tot	Kona	NV	Kvalitet /Material	Fälgtyp	Art.nr	Bild
OE BULT / MUTTER									
FORD forts...									
Transit 2013	1811812	M14x1,5	(2 delad)	Flat	21	10 Zinclad + Magni	Stål	Z6141521ZIN	
Transit 2014 (only for single wheels)	ACPA-1012-KXA	M14x1,5		60°	21	10 Zincnickel + s/s cap	Alu	Z6141521DF10ZIN	
S-Max (W46); Galaxy (W46), Edge (SBF)	5275544	M14x1,5		60°	21	10 Zincnickel + s/s cap	Alu	Z6141521DF11ZIN	
HONDA									
Alla Passagerarbilar	90381-SL5-901	M12x1,5 öppen		R12	19	10 White Zincplated	Stål	Z61215WZ	
Alla Passagerarbilar	90304-SC2-000	M12x1,5 stängd		R12	19	8 White Zincplated	Alu	Z6221530	
HYUNDAI									
Atos (MX); Accent (LC, MC, MCT); Elantra (XD); Coupè (GK, J-2, RD); Getz (TB, TBI); i 10 (IA, PA); i 20 (PB, PBT); i 30 (FD, FDH); i 40 (VF); iX 20 (JC); iX 35 (EL, LM); Matrix (FC, FCT) Tuscon (JM, TL);	52951-11210	M12x1,5		60°	21	8 White Zincplated	Stål	Z609240	
i10; i20; i30; i40; i45; iX20; iX35; Ioniq; Kona; Santafé; Tucson	52950-14140 52950-M1000 52951-31330	M12x1,5		60°	21	8 chromeplated	Alu	Z6121521AL	
i10; i20; i30; i40; i45; iX20; iX35; Ioniq; Kona; Santafé; Tucson	52950-3Y000 52950-17000 52951-11210 52950-11210 52951-11220	M12x1,5		60°	21	8 chromeplated	Stål	Z6121521ST	
JAGUAR									
XE (JA); XF (JB); F-type (QQ6); S-type (CCX)	C2C35294010	M12x1,5		Flat	19	8 White Zincplated	Alu	Z6121519AL	
E-pace (DF); F-pace (DC, X761)	T4A2670	M14x1,5		60°	21	10 White Zincplated	Alu	Z61415ZP	
KIA									
Carnival; Ceed; Picanto; Rio; Sorento; Soul; Sportage; Venga	52950-14140 52950-M1000 52950-1G000 52950-H1000	M12x1,5		60°	21	8 chromeplated	Alu	Z6121521AL	
Carnival; Ceed; Picanto; Rio; Sorento; Soul; Sportage; Venga	52950-3Y000 52950-17000 52951-11210 52950-11210 52951-11220	M12x1,5		60°	21	8 chromeplated	Stål	Z6121521ST	
LANCIA									
Delta 3 (844); Kappa (838); Lybra (839); Musa (350); Y (840, 312); Ypsilon (843, 846)	13230425	M12x1,25	22/48,5	60°	17	8,8 Deltaprotekt KL100	Stål	Z6121522DEL	
LAND ROVER									
Defender till 2006; Discovery 1; Range Rover Classic	ANR2763MMM	M16x1,5	(2 delad)	Flat	27	8 White Zincplated	Alu	Z61615YZP	
Discovery 2	ANR3679	M14x1,5	(2 delad)	Flat	22	8 White Zincplated	Alu	Z61415228WZ	
Defender fr.o.m 2007	RRD500560	M14x1,5	(2 delad)	Flat	27	8 Yellow Zincplated	Alu	Z61415278YZ	
Discover 3 and 4; Range Rover Sport (LS); Range Rover Sport (LW); Range Rover Vogue (LM); Range Rover Vogue (LG)	RRD500590 LR068126	M14x1,5	(2 delad)	Flat	22	8 Yellow Zincplated	Alu	Z61415228YZ	
Range Rover Evoque	LR001381	M14x1,5		60°	21	10 White Zincplated	Alu	Z61415ZP	
Defender till 2006; Discovery 1; Range Rover Classic	RRD500010	M16x1,5		60°	27	8 White Zincplated	Stål	Z616158WZ	

Bilmärke/Bilmodell	OE art.no	Gänga	Längd /Tot	Kona	NV	Kvalitet /Material	Fälgtyp	Art.nr	Bild
OE BULT / MUTTER									
MAZDA									
2 (DY, DE); 3 (BK, BL, BM); 5 (CR1, CVW); 6 (GG, GG1, GJ); 121 (JASM); 323 (BF, BG, BA, BJ); 626 (GF); MPW (LW); MX3 (EC); MX5 (NA, NB, NC1); MX6; Premacy (CP); RX-7; Demio (DW)	0603 26 161 A	M12x1,5		60°	21	8 Yellow Zincplated	Stål	Z609240	
2 (DY, DE); 3 (BK, BL, BM); 5 (CR1, CVW); 6 (GG, GG1, GJ); 121 (JASM); 323 (BF, BG, BA, BJ); 626 (GF); MPW (LW); MX3 (EC); MX5 (NA, NB, NC1); MX6; Premacy (CP); RX-7; Demio (DW)	B002-37-160B	M12x1,5		60°	21	8 White Zincplated	Alu	Z61215218WZ	
MERCEDES									
180 (120); 190 (110); 200 (110); 220 (111); 230 (110)	000 990 00 59	M12x1,5		R12	17	8 White Zincplated	Stål	Z6221518	
Sprinter 616 (905); Vario 512 (667); 612 (668); 814 (670); 815 (670); 609 (668); 709 (669)	74 361 014 205	M14x1,5		Flat	19	10 White Zincplated	Stål	Z61415FLATWZ	
Class A (168); C (202, 203); CLK (208, 209); E (210); SL (129); SLK (170, 171); Vaneo (414); 190 (201); 200 (124)	170 401 01 70 201 401 02 70 210 401 02 70	M12x1,5	21/39,5	R12	17	10,9 White Zincplated	Stål	Z609212	
Class A (168); C (202, 203); CLC (203); CLK (208, 209); E (124, 210); SL (129); SLK (170, 171); Vaneo (414); 190 (201); 200 (124)	124 400 01 70 000 990 48 07 124 400 00 70 124 400 04 70 202 400 00 70 000 990 10 07 203 401 02 70	M12x1,5	40/61	R12	17	10,9 White Zincplated	Alu	Z6121540WZ	
CL (215); GE (461, 463); E (213) GLE (166, 192); GLK (204); ML (164); R (251); S (140, 220);	000 990 53 07	M14x1,5	45/70	R14	17	10,9 Deltaprotekt KL100	Alu	Z6141545DEL	
Class S (140);	140 401 02 70	M14x1,5	25/45	R12	17	10,9 Deltaprotekt KL100	Stål	Z614152545DEL	
Class A (169, 176); B (245, 246); C (204 Endast Alu); CLS (218, 219); E (207, 211, 212); (213) GL (164 Endast Alu); GLK (204); ML (163, 164 Endast Alu); GLC (253) R (251 Endast Alu); SL (230); SLK (172); SLR (199); Viano (639 Endast Stål); Vito (639 Endast Stål)	000 990 67 07 000 990 69 07 000 990 72 07 000 990 49 07 163 401 06 70 211 401 03 70	M14x1,5	26,5/49	R14	17	10,9 Deltaprotekt KL100	Stål & Alu	Z6141527	
Sprinter I (207, 208, 209, 210, 212, 214, 307, 308, 309, 310, 312, 314); Sprinter II (906)	601 401 02 70	M14x1,5	34/63	R14	19	10,9 Zinc Nickel + Finigard 105	Stål	Z6141524ZN	
Class A (169, 176); B (245, 246); C (204 Endast Alu); CLS (218, 219); E (207, 211, 212); GL (164 Endast Alu); GLC (Z53); GLK (204); ML (163, 164 Endast Alu); R (251 Endast Alu); SL (230); SLK (172); SLR (199); Viano (639 Endast Alu); Vito (639 Endast Alu)	000 990 51 07	M14x1,5	27	R14	17	10,9 Corrolube + s/s cap	Alu	Z614152719COR	
CL (215); GE (461, 463); GLK (204 Endast Alu); GLE (166, 292 Endast Alu); ML (164 Endast Alu); R (251 Endast Alu); E 213; GL (164); S (140, 220);	000 990 54 07	M14x1,5	48,5	R14	17	10,9 Corrolube + s/s cap	Alu	Z6141548519COR	
Class A (176); B (246); C (204, 205); CLA (117, 218); E (207, 212); GL (164, 166); GLA (156); GLK (204); ML (164 and 166 steel wheels only); SL (231 steel wheels only); SLK (172 steel wheels only)	000 990 83 07	M14x1,5	27/46	R14	17	9,8 Corrolube	Alu	Z6141527R14B	
CLS (257); GL (166); GLK (204); ML (166); R (251); S (217)	000 990 76 07	M14x1,5	45/64	R14	17	9,8 Corrolube	Alu	Z6141545R14B	
GLE (W167); GLE coupé (W167); GLS (from 2020)		M15x1,25	27/48,5	R14	17	10,9 Zinc Nickel Black	Alu	Z61512527B	

Bilmärke/Bilmodell	OE art.no	Gänga	Längd /Tot	Kona	NV	Kvalitet /Material	Fälgtyp	Art.nr	Bild
OE BULT / MUTTER									
MERCEDES forts...									
GLE (W167); GLE coupé (W167); GLS (from 2020)	000 990 44 18	M15x1,25	45/66,5	R14	17	10,9 Zinc Nickel Black	Alu	Z61512545B	
MINI									
Cooper & Cooper S (R52, R53 t.o.m 07/2006, R55, R56, R57, R60); JCW (R52, R53); One (R50 t.o.m 07/2006) Clubman (R55); Countryman (R60); JCW (R55, R56, R57, R58, R52); One (R55, R56); Paceman (ukl);	36 13 0 141 574	M12x1,5	26/51	60°	17	8,8 Black Zincplated	Stål & Alu	Z6121526BZ	
Cooper & Cooper S (R52 fr.o.m 07/2006, R53 fr.o.m 07/2006, R55, R56, R57, R60); Clubman (R55); (MKL) Countryman (R60); FMX JCW (R52, R55, R56, R57, R58); One (R50 fr.o.m 07/2006); One (R55, R56)	36 13 6 781 151-03	M14x1,25	27/48	60°	17	8,8 Black Zincplated	Stål & Alu	Z61412527COR	
MITSUBISHI									
ASX (GA0); Carisma (DA0); Colt (C50, CAO, CJO, Z30, Z3B); Galant (E30, EAO); i-Miev (HA0, HAV); Lancer (CSO, CYO); L300 (PAO, PAOV, POOV, POOW); Outlander (CUOW, CWO); Pajero (H60W); Space Wagon (N10, N30, N50) Spacegear V (PAO):	MR 297927 MA 103 087	M12x1,5		60°	21	8 Yellow Zincplated	Stål	Z609240	
ASX (GA0); Carisma (DA0); Colt (C50, CAO, CJO, Z30, Z3B); Galant (E30, EAO); i-Miev (HA0, HAV); Lancer (CSO, CYO); L300 (PAO, PAOV, POOV, POOW); Outlander (CUOW, CWO); Pajero (H60W); Space Wagon (N10, N30, N50) Spacegear V (PAO): Spacestar (DG0,A00);	MR 455707	M12x1,5	(2 delad)	Flat	21	8 Chrome- plated	Alu	Z663610	
NISSAN									
Pixo (HF)	36181-4A0A2	M12x1,25		60°	19	8 White Zincplated	Stål	Z6221217	
Micra (K12); Note (E11)	40254-00QAB 40222-BC40A	M12x1,5	25/51	60°	19	10,9 White Zincplated	Stål & Alu	Z6121525WZ	
Almera (N15, N16, V10); Juke (F15); Leaf (ZEO); Maxima (A32, A33); Micra (K10, K11, K13); Note (E12); Patrol (260, K160, Y60A, Y61); PicK-Up (D22); Quashqai (J11), Micra (K14) Primera (P11, P12); Qashqai (J10); Sunny (N14, B12, N13); Terrano (WD21, R20); X-Trail (T30, T31)	40224-ZE73A 40224-G9501 40224-21001	M12x1,25		60°	21	8 Yellow Zincplated	Stål	Z609245	
OPEL									
Agila A (H00 up to chassis 3G999999)	4 705 171	M12x1,25		60°	19	8 White Zincplated	Stål & Alu	Z6221217	
Antara (L-A)	4 803 304	M12x1,5		60°	19	8 White Zincplated	Alu	Z61215198WZ	
Combo (D)	1 008 011	M12x1,25	22/48,5	60°	17	8,8 Deltaprotekt KL100	Stål & Alu	Z6121522DEL	
Antara (KLAC, KLAD); Astra J (PJ); Mokka (J-A); Zafira Tourer (P-J-SW)	1008010 1008516	M12x1,5		60°	19	10 White Zincplated	Stål & Alu	Z612151910WZ	
Mokka (J-A)	1008013	M12x1,5		60°	19	10 White Zincplated + s/s cap	Alu	Z121519WZIN	
Adam (S-D); Corsa (A-B-C-D); Agila A (H00 fr.o.m chassis 3H000000); Astra (F, G, H); Combo (C, D); Meriva (A, B); Omega (B); Signum (ZCS); Tigra (S93, X-C); Vectra (A, B, C); Zafira (A-B)	1008504	M12x1,5	22/47,5	60°	17	10,9 White Zincplated	Stål & Alu	Z653550	

Bilmärke/Bilmodell	OE art.no	Gänga	Längd /Tot	Kona	NV	Kvalitet /Material	Fälgtyp	Art.nr		Bild
OE BULT / MUTTER										
OPEL forts...										
Crossland X (P7)	3 637 362	M12x1,25	26/47	60°	17	10,9 Deltaprotekt KL100	Stål	Z6121252647DEL		
Crossland X (P7 Flat)	5405 67	M12x1,25	17/57 (2 delad)	Flat	17	10,9 Chrom- plated	Alu	Z61212517		
PEUGEOT										
106 (1A, 1C); 205 (20A, 20C); 306 (7A, 7D); 309 (10A, 10C); 405 (15B, 15E); 406 (8B); 605 (6B); Partner (HDZ, NFU)	5405.35	M12x1,25	17/63 (2 delad)	Flat	19	10,9 Chrom- plated	Alu	Z61212517CP		
308 (4); 407 (6C, 6D); 3008 (OU); 5008 (O); Expert 3; Partner 3 Tepee; Ranch 3	5405.72 1608734480	M12x1,25	26/49 (2 delad)	60°	17	10,9 Deltaprotekt KL100	Stål	Z6121252649DEL		
106 (1A, 1C); 205 (20A, 20C); 306 (7A, 7D); 309 (10A, 10C); 405 (15B, 15E); 406 (8B); 605 (6B); Partner (HDZ, NFU)	5405.55	M12x1,25	26/52	60°	19	10,9 White Zincplated	Stål	Z609230		
206 (HFZ); 207 (W); 208 (C); 2008 (C); 301 (D); 307 (3A, 3C); 308 (4, L); 309 (L); 508 (8); 1007 (K); Bipper Silver (225L); Expert 2 Tepee (G9); Expert 3 Tepee; Partner (HDZ, NFU); 3008 (M); 5005 (M);	5405.66	M12x1,25	26/47	60°	17	10,9 Deltaprotekt KL100	Stål	Z6121252647DEL		
206 (HFZ); 207 (W); 208 (C); 2008 (C); 301 (D); 307 (3A, 3C); 308 (4, L); 1,2 407 (6C, 6D); 508 (8); 607 (9D, 9U); 1007 (K); 3008 (OU); 5008 (O); Expert 2 Tepee (G9); Expert 3 Tepee; Partner (HDZ, NFU); RCZ	5405.67	M12x1,25	17/57 (2 delad)	Flat	17	10,9 Deltaprotekt KL100	Alu	Z61212517		
107 (P) 108 (580W);	5405.77	M12x1,5	21/47	60°	17	10,9 White Zincplated	Stål	Z6121521		
107 (P) 108 (580W)	5405.80 5405.85	M12x1,5	35/59,5 (2 delad)	Flat	17	10,9 Deltaprotekt KL100	Alu	Z6121535DEL		
807 (E); Expert (B/222, X)	5405.68	M14x1,5	25/49	60°	17	10,9 Deltaprotekt KL100	Stål	Z614152556DEL		
BOXER (230, 244 Axelbelast. 1,1 - 1,4 Tom)	5405.75	M14x1,5	28,2/53	60°	24	10,9 Deltaprotekt KL100	Stål	Z6141528DEL		
BOXER (230, 244 Axelbelast. fr.o.m 1,8 Tom)	5405.76	M16x1,5	31/57	60°	24	10,9 Deltaprotekt KL100	Stål	Z6161531DEL		
BOXER (250 Axelbelast. 1.1 - 1,7 Tom)	5405.78 5405.88	M14x1,5	27/62	60°	21	10,9 Deltaprotekt KL100	Stål eller Alu 15"	Z6141527DEL		
BOXER (250 Axelbelast. fr.o.m 1,6 Tom)	5405.79	M16x1,5	29/64	60°	21	10,9 Deltaprotekt KL100	Stål eller Alu 16"	Z6161529DEL		
4007 (V); 4008 (B); Ion (1)	5405.81	M12x1,5		60°	21	8 Yellow Zincplated	Stål	Z609240		
4007 (V); 4008 (B)	5405.82	M12x1,5	(2 delad)	Flat	21	8 Chrom- plated	Alu	Z663610		
PORSCHE										
911; 912; 914; 924; 944	N 020 112 1	M14x1,5		R14	19	10 White Zincplated	Alu	Z614151910WZ		
911 (930, 964, 991, 993, 996 fr.o.m 2000, 997); Boxter (986, 987); (982) Cayman (9TA, 982); Panamera (970, 971);	997 361 203 01	M14x1,5	30/60 (2 delad)	R14	19	10,9 Deltaprotekt KL100	Alu	Z6141530WZ		
Cayenne	710 601 139 A	M14x1,5	37/67 (2 delad)	R14	19	10,9 White Zincplated	Alu	Z6141537WZ		
Macan (95B)	996 352 086 02 WHT 006 978	M14x1,5	30/60 (2 delad)	R14	19	10,9 Zink Nickel black	Alu	Z614153719WZIN		

Bilmärke/Bilmodell	OE art.no	Gänga	Längd /Tot	Kona	NV	Kvalitet /Material	Fälgtyp	Art.nr	Bild
OE BULT / MUTTER									
RENAULT									
Clio (B, C57); Españe (S115); Kangoo (KC); Laguna (B56, K56, LA, EA); Megane (BA, DA, LA, EA); Thalia/ Symbol (B); Twingo (C06); R5 (B-C40, F40); R19 (B-C53, X53, L53); R21 (L48)	82 00 030 701 82 00 719 981	M12x1,5	25/51	60°	19	10,9 White Zincplated	Stål	Z6121525WZ	
Capture (R); Clio (R); Kangoo (W, FW); Laguna (G); Megane (M, JM, Z, JZ, RFB); Modus (P); Twingo (N); Zoe (AG) Grand Scenic (RFA), Scenic (RFA), Talisman (RFD)	40 22 221 21R	M12x1,5	24/49	60°	17	10,9 White Zincplated	Stål	Z653200	
Koleos (Y)	40224-21001	M12x1,5		60°	21	8 Yellow Zincplated	Stål	Z609240	
SEAT									
Arosa (6H, 6HS); Cordoba (6K, 6K/C); Ibiza (6K); Inca (9KS, 9KSF); Mii (AA); Toledo (1L endast 4x100)	3A0 601 139 321 601 139C WHT 004 899	M12x1,5	24,5/45,7	R13	17	10,9 White Zincplated	Stål & Alu	Z6121524WZ	
Alhambra (7N); Altea (5P); Cordoba (6L); Exeo (3R); Ateca (5FP) Ibiza (6L, 6J); (KJ) Leon (1P, 1PN, 5F); Toledo (1L endast 5x100, 1M, 5P, NH)	WHT 002 437	M14x1,5	27/47,5	R13	17	10,9 White Zincplated	Stål & Alu	Z653245	
Alhambra (7MS fr.o.m 1996 till 2000)	701 601 139 B	M14x1,5	34/55	R14	19	10,9 Zink Nickel black	Stål & Alu	Z653260	
Alhambra (7MS fr.o.m 2001 till 2010)	7M3 601 139B	M14x1,5	34/62 (2 delad)	R14	19	10,9 Deltaprotekt KL100	Stål & Alu	Z653280	
SKODA									
Citigo (AA); Favorit (781); Felicia (791, 795, 797)	WHT 004 899 3A 601 139	M12x1,5	24,5/45,7	R13	17	10,9 White Zincplated	Stål & Alu	Z6121524WZ	
Fabia (6Y, 5J); Octavia (1U, 1Z, 5E); Rapid (NH); Roomster (5J); Superb (3U, 3T); Yeti (5L), Karoq 8NU), Kodiaq (NS)	WHT 002 437	M14x1,5	27/47,5	R13	17	10,9 White Zincplated	Stål & Alu	Z653245	
SUZUKI									
Alto (FF, GF); Baleno (EG); Ignis (FH, MF); Grand Vitara (JT); Jimny (FJ); Kizashi (FR); Liana (ER); Swift (EA, MA, AZ); SX4 (Endast på GY modellen & 15"); Wagon R+ (EM); Celerio (LF);	09140-12042	M12x1,25		60°	19	8 White Zincplated	Stål	Z6221217	
Ignis (MH), Splash (EX); Swift (EZ/MZ, NZ/FZ); SX-4 (EY, GY endast 16"); Wagon R+ (MM, H00)	43423-86G00	M12x1,5	22/47,5	60°	17	10,9 White Zincplated	Stål & Alu	Z653550	
TESLA									
Tesla model S Tesla model X	ACPA-1012-KXA	M14x1,5		60°	21	10 Zincnickel + s/s cap	Alu	Z6141521DF10ZIN	
TOYOTA / LEXUS									
Auris (E15J, E18UM); Avenis (T22, T25, T27, M2); Camry (V2, V10); C-HR (AX1T) Carina (T19U); Celica (T18, T20); Corolla (E10, E11, E12, R1); Hiace (H1); Hilux (N1, N16, N25S); IQ (AJ1); Paseo (L5); Previa (R3); Prius (HW2, HW3, HW4, HW5); RAV 4 (A2, XA3); Urban Cruiser (XP11); Yaris (P1, P2, XP9, XP13M); Verso (XP12)	9 094 201 007 90942-01007	M12x1,5		60°	21	8 Yellow Zincplated	Stål	Z609240	
Auris (E15J, E18UM); Avenis (T22, T25, T27, M2); Camry (V2, V10); Carina (T19U); C-HR (AX1T) Celica (T18, T20); Corolla (E10, E11, E12, R1); Hiace (H1); Hilux (N1, N16, N25S); IQ (AJ1); Paseo (L5); Previa (R3); RAV 4 (A2,XA3); Yaris (P1, P2, XP9, XP13M); Urban Cruiser (XP11); Prius (HW2, HW3, HW4, HW5); Verso (XP12)	90942-01033	M12x1,5	(2 delad)	Flat	21	8 Chrome- plated	Alu	Z663610	
4 Runner, Land Cruiser, Prado, Rav 4, Highlander, Lexus ES300, GS300-400-430 (fr.o.m '08/'96), GX470, IS200-300 (fr.o.m '07/'01), LS400-430 (fr.o.m '01/'00), RX300-400H (fr.o.m '01/'98), SC300-400-430 (fr.o.m '01/'97)	90942-01058	M12x1,5	(2 delad)	Flat	21	8 Chrome- plated	Alu	Z61215CP	

Bilmärke/Bilmodell	OE art.no	Gänga	Längd /Tot	Kona	NV	Kvalitet /Material	Fälgtyp	Art.nr		Bild
OE BULT / MUTTER										
TOYOTA forts...										
Land Cruiser 70, 100, 200, 400; Tundra; Lexus LX470; 570	90942-01103	M14x1,5	(2 delad)	Flat	22	8 Chrome-plated	Alu	Z61415CP		
Aygo (AB1)	90942-W2001	M12x1,5	21/47	60°	17	10,9 White Zincplated	Stål	Z6121521		
Aygo (AB1)	90942-W2002	M12x1,5	35/59,5 (2 delad)	Flat	17	10,9 Deltaprotekt KL100	Alu	Z6121535DEL		
Proace (V) 60°	5405.72 160 873 44 80	M12x1,25	25x2/49 (2 delad)	60°	17	10,9 Deltaprotekt KL100	Stål	Z6121252649DEL		
Proace (V) Flat	5405.67	M12x1,25	25x17/57 (2 delad)	Flat	17	10,9 Deltaprotekt KL100	Alu	Z61212517		
Aygo (580W)	5405.85	M12x1,5	(2 delad)	Flat	17	10,9 Deltaprotekt KL100	Alu	Z61215325DEL		
VOLKSWAGEN										
Transporter T2; Transporter T3	N 020 112 1	M14x1,5		R14	19	10 White Zincplated	Stål	Z614151910WZ		
Caddy (9KVF, 9U); Corrado (531 endast 4x100); Golf (155, 19E, 1H endast 4x100); Jetta (19E); Lupo (6X); Passat (35i, 35i-299); Polo (86C, 6N, 6NF); Scirocco (53); Up (AA); Vento (1H endast 4x100)	321 601 139 C 3A0 601 139 WHT 004 899	M12x1,5	24,5/45,7	R13	17	10,9 White Zincplated	Stål & Alu	Z6121524WZ		
Sharan (7M fr.o.m 1995 to 2000); Transporter T4 (7DZ)	701 601 139 B 7M0 601 139A	M14x1,5	34/55	R14	19	10,9 Zinc Nickel Black	Stål & Alu	Z653260		
Sharan (7M fr.o.m 2000 t.om 2010); Transporter T4 (2001-2003)	7M3 601 139 B	M14x1,5	34/62 (2 delad)	R14	19	10,9 Deltaprotekt KL100	Stål & Alu	Z653280		
Bora (1J, 9M, 1K); Beetle (16); Caddy (2K, 2KN, 2CA); CC (358); Corrado (531 endast 5x100); Eos (1F); Fox (5Z); Golf (1H endast 5x100, 1J, 1K, 1KM, 1KP, AU); Jetta (1KM, 16); New Beetle (9C, 1Y, 16); Passat (3B, 3BG, 3C, B8); Polo (9N, 6R, AW); Scirocco (13); Sharan (7N); Tiguan (5N); Touran (5T)	WHT 002 437	M14x1,5	27/47,5	R13	17	10,9 White Zincplated	Stål & Alu	Z653245		
Phaeton (3D)	4D0 601 139 A	M14x1,5	27/51 (2 delad)	R13	17	10,9 White Zincplated	Alu	Z6141527BZ		
Touareg (7L, 7P), Transporter T5 (7H)	710 601 139 A	M14x1,5	37/67 (2 delad)	R14	19	10,9 White Zincplated	Alu	Z6141537WZ		
Touareg (CR)	8R0 601 295	M14x1,5	30/59,5 (2 delad)	R14	17	10,9 Deltaprotekt KL100	Stål & Alu	Z6141530DEL		
Crafter 30/35 (2EC1, 2FJ1); LT28/35 (2DM)	2D0 601 139 WHT 000 888	M14x1,5	34/63	R14	19	10,9 Zinc Nickel + Finigard 105	Stål	Z6141524ZN		
VOLVO										
240-260 (P244, P245)	1273332	1/2"		60°	19	8 White Zincplated	Stål & Alu	Z612NFWZ		
S40/V40 (V)	30870000 30873148	M12x1,50		60°	21	8 Yellow Zincplated	Stål	Z609240		
C30 (M); S40/V50 (M); S90/V90 (9); V40 (M)	8665333 999359	M12x1,50		60°	19	10 Deltaprotekt KL100	Stål	Z61215DEL		
C30 (M); S40/V50 (M); S90/V90 (9); V40 (M)	31329645	M12x1,50		60°	19	10 Zincplated	Alu	Z61215ZP		
850 (L, LS, LW); S70/V70 (L)	3546651	M12x1,75	28,5/55	60°	19	10,9 White Zincplated	Stål & Alu	Z6121727		
S60 (RH, F); S80 (A, T); V60 (F); C70 (N); S70/V70 (G); S80 (T/K/KW, A); V70 (J); XC60 (D); V70/XC70 (B); S90/V90 (P)XC90 ©	31362432	M14x1,5	34/60	60°	19	10,9 White Zincplated	Stål & Alu	Z61141519		